



## Lenovo 4XB7A17125 unidad de estado sólido 480 GB 2.5" Serial ATA III 3D TLC NAND



Marca : Lenovo

Código del producto: 4XB7A17125

Nombre del producto : 4XB7A17125

Lenovo 4XB7A17125. SDD, capacidad: 480 GB, Factor de forma de disco SSD: 2.5", Velocidad de lectura: 550 MB/s, Velocidad de escritura: 500 MB/s, Velocidad de transferencia de datos: 6 Gbit/s, Componente para: Servidor/estación de trabajo

| Características                     |                              | Características                                   |   |
|-------------------------------------|------------------------------|---|---|
| Algoritmos de seguridad soportados  | 256-bit AES                  | Certificación                                     | FCC Title 47, Part 15B, Class B   |
| SDD, capacidad *                    | 480 GB                       |   | EN-55035:2017 EN-55022:2006   |
| Factor de forma de disco SSD *      | 2.5"                         |   | EN-55032:2012 Low Voltage Directive (LVD) 2014/35/EU EMC Directive 2014/30/EU RoHS Directive 2011/65/EU WEEE Directive 2012/19/EU UL 60950-1, 2nd Edition, 2014-10-14 CSA C22.2 No. 60950-1-07, 2nd Edition, 2014-010 UL/CSA 62368-1, 2nd Edition AS/NZ CISPR 32:2015 AS/NZ CISPR 22:2009 +A1:2010 Taiwan BSMI EMC standard CNS 13438 Korea KCC Article 11.1 Morocco Decree # 2574-14 (EMC) Canada ICES-003 Japan VCCI China EFUP |
| Interfaz *                          | Serial ATA III               |   |   |
| Tipo de memoria *                   | 3D TLC NAND                  |   |   |
| Componente para *                   | Servidor/estación de trabajo |   |   |
| Encriptación de hardware *          | ✓                            |   |   |
| Velocidad de transferencia de datos | 6 Gbit/s                     |   |   |
| Velocidad de lectura                | 550 MB/s                     |   |   |
| Velocidad de escritura              | 500 MB/s                     |   |   |
| Lectura aleatoria (4KB)             | 82000 IOPS                   |   |   |
| Escritura aleatoria (4KB)           | 50000 IOPS                   |   |   |
| Latencia de lectura                 | 36 µs                        |   |   |
| Latencia de escritura               | 36 µs                        |   |   |
| Soporte S.M.A.R.T.                  | ✓                            |   |   |
| Hot-swap                            | ✓                            |   |   |
| Tiempo medio entre fallos           | 2000000 h                    |   |   |
|                                     |                              | Control de energía                                |   |
|                                     |                              | Consumo de energía (escritura)                    | 3 W   |
|                                     |                              | Peso y dimensiones                                |   |
|                                     |                              | Ancho   | 70 mm   |
|                                     |                              | Profundidad                                       | 100 mm  |
|                                     |                              | Altura  | 7 mm  |
|                                     |                              | Peso  | 70 g  |
|                                     |                              | Empaquetado                                       |   |
|                                     |                              | Ancho del paquete                                 | 174 mm  |
|                                     |                              | Profundidad del paquete                           | 133 mm  |
|                                     |                              | Altura del paquete                                | 63 mm   |
|                                     |                              | Peso del paquete                                  | 434 g   |
|                                     |                              | Condiciones ambientales                           |   |
|                                     |                              | Intervalo de temperatura operativa                | 0 - 70 °C   |
|                                     |                              | Intervalo de humedad relativa para funcionamiento | 5 - 95%   |
|                                     |                              | Vibración operativa                               | 2,17 G  |
|                                     |                              | Vibración no operativa                            | 3,13 G  |
|                                     |                              | Golpes en funcionamiento                          | 1000 G  |
|                                     |                              | Golpe (fuera de operación)                        | 1000 G  |
|                                     |                              | Altura máxima de operación                        | 3050 m  |
|                                     |                              | Datos logísticos                                  |   |
|                                     |                              | Código de Sistema de Armomización (SA)            | 84717070  |



0889488589241



889488589241

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.