APC BR1200G-FR sistema de alimentación ininterrumpida (UPS) Línea interactiva 1,2 kVA 720 W





Marca : APC

Código del producto: BR1200G-FR

Nombre del producto : BR1200G-FR

APC BR1200G-FR. Topología UPS: Línea interactiva, Capacidad de potencia de salida (VA): 1,2 kVA, Potencia de salida: 720 W. Tecnología de batería: Sealed Lead Acid (VRLA), Tiempo de recarga de la batería: 8 h. Color del producto: Negro, Longitud de cable: 1,83 m. Ancho: 112 mm, Profundidad: 380 mm, Altura: 301 mm. Peso del paquete: 13,2 kg

Características	
Topología UPS *	Línea interactiva
Capacidad de potencia de salida (VA) *	1,2 kVA
Potencia de salida *	720 W
Frecuencia de entrada *	50/60 Hz
Índice de aumento de energía	445 J
Nivel de ruido	45 dB
Alarma(s) audibles	✔

Puertos e Interfaces	
Cantidad de puertos USB 2.0	1
Puertos de módem (RJ-11)	1
Ethernet LAN (RJ-45) cantidad de puertos	1

Batería	
Tecnología de batería	Sealed Lead Acid (VRLA)
Tiempo de recarga de la batería	8 h
Cartucho para batería de repuesto	1

Diseño	
Longitud de cable	1,83 m
Color del producto *	Negro

Condiciones ambientales	
Intervalo de temperatura operativa	0 - 40 °C
Intervalo de temperatura de almacenaje	-15 - 45 °C

Condiciones ambientales	
Intervalo de humedad relativa para funcionamiento	0 - 95%
Intervalo de humedad relativa durante almacenaje	0 - 95%
Altitud de funcionamiento	0 - 9000 m
Altitud no operativa	0 - 15000 m

Peso y dimensiones	
Ancho	112 mm
Profundidad	380 mm
Altura	301 mm
Peso	11,6 kg

Empaquetado	
Peso del paquete	13,2 kg

Datos logísticos	
Código de Sistema de Armomización (SA)	85078000

Otras características	
Tipo de batería	APCRBC124
Voltaje nominal de salida	230 V
Descripción de filtro	UL 1449
Voltaje nominal de entrada	230 V
Características de red	10/100/1000 Base-T
Húmedad relativa	0 - 95%
Rango de temperatura de funcionamiento	32 - 104 °F

Otras características	
Dimensiones del embalaje (alto x alto x peso)	238 x 488 x 387 mm



0731304268727



731304268727

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 30-JUL-2025. Prints or copies of Information are only valid on the printed Publication date