


StarTech.com Tarjeta Adaptador PCI USB 3.0 (5Gbps) SuperSpeed 4 Puertos Con Alimentación SATA LP4 - Hub Concentrador Interno - Ladrón USB Interno - 2x USB A Hembra

Marca : StarTech.com

Código del producto: PCIUSB3S4

Nombre del producto : Tarjeta Adaptador PCI USB 3.0 (5Gbps) SuperSpeed 4 Puertos Con Alimentación SATA LP4 - Hub Concentrador Interno - Ladrón USB Interno - 2x USB A Hembra

StarTech.com Tarjeta Adaptador PCI USB 3.0 (5Gbps) SuperSpeed 4 Puertos Con Alimentación SATA LP4 - Hub Concentrador Interno - Ladrón USB Interno - 2x USB A Hembra (PCIUSB3S4)
StarTech.com Tarjeta Adaptador PCI USB 3.0 (5Gbps) SuperSpeed 4 Puertos Con Alimentación SATA LP4 - Hub Concentrador Interno - Ladrón USB Interno - 2x USB A Hembra. Interfaz de host: PCI, Interfaz de salida: USB 3.2 Gen 1 (3.1 Gen 1). Color del producto: Rojo, Certificación: CE, FCC, TAA, REACH. Circuito integrado: Renesas/NEC - µPD720202, Tasa de transferencia de datos (max): 5 Gbit/s. Sistema operativo Windows soportado: Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64,..., Sistema operativo de servidor soportado: Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows.... Ancho: 20 mm, Profundidad: 133 mm, Altura: 65 mm



Puertos e Interfaces		Requisitos del sistema	
Interfaz de host *	PCI		Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Interfaz de salida *	USB 3.2 Gen 1 (3.1 Gen 1)		
Cantidad de puertos tipo A USB 3.2 Gen 1 (3.1 Gen 1)	4		
Cantidad de puertos SATA internos	1		
Diseño		Sistema operativo Windows soportado	
Interno *	✓		
Color del producto	Rojo		
Certificación	CE, FCC, TAA, REACH		
Características		Sistema operativo Windows soportado	
Circuito integrado	Renesas/NEC - µPD720202		
Tasa de transferencia de datos (max)	5 Gbit/s		
apoyo UASP	✓		
Condiciones ambientales		Sistema operativo Windows soportado	
Intervalo de temperatura operativa	5 - 50 °C		
Intervalo de temperatura de almacenaje	-25 - 70 °C		
Intervalo de humedad relativa para funcionamiento	15 - 90%		

Requisitos del sistema	
Sistema operativo de servidor soportado	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Detalles técnicos	
Certificados de conformidad	RoHS
Peso y dimensiones	
Ancho	20 mm
Profundidad	133 mm
Altura	65 mm
Peso	72 g
Empaquetado	
Soportes de montaje incluidos	✓
Controladores incluidos	✓
Manual de usuario	✓
Ancho del paquete	175 mm
Profundidad del paquete	145 mm
Altura del paquete	33 mm
Peso del paquete	165 g
Datos logísticos	
Código de Sistema de Armomización (SA)	84733020



0065030849517



065030849517

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.