


StarTech.com Tarjeta PCI Express de 2 Puertos USB 3.0 SuperSpeed con UASP y Alimentación SATA - Adaptador Interno

Marca : StarTech.com

Código del producto: PEXUSB3S24

Nombre del producto : Tarjeta PCI Express de 2 Puertos USB 3.0 SuperSpeed con UASP y Alimentación SATA - Adaptador Interno

StarTech.com Tarjeta PCI Express de 2 Puertos USB 3.0 (5Gbps) con UASP y Alimentación SATA - Adaptador Hub USB SuperSpeed Interno (PEXUSB3S24)
StarTech.com Tarjeta PCI Express de 2 Puertos USB 3.0 SuperSpeed con UASP y Alimentación SATA - Adaptador Interno. Interfaz de host: PCIe, Interfaz de salida: USB 3.2 Gen 1 (3.1 Gen 1), Factor de forma de la tarjeta de expansión: Perfil bajo. Color del producto: Verde, Metálico, Certificación: CE, FCC, TAA, REACH. Circuito integrado: Renesas/NEC - μPD720202, Tasa de transferencia de datos (max): 5 Gbit/s. Sistema operativo Windows soportado: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10..., Sistema operativo de servidor soportado: Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows.... Ancho: 18 mm, Profundidad: 65 mm, Altura: 120 mm



Puertos e Interfaces		Requisitos del sistema	
Interfaz de host *	PCIe		Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64
Interfaz de salida *	USB 3.2 Gen 1 (3.1 Gen 1)		
Factor de forma de la tarjeta de expansión	Perfil bajo		
Estándar de la tarjeta de expansión	PCIe 2.0		
Cantidad de puertos tipo A USB 3.2 Gen 1 (3.1 Gen 1)	2		
Diseño		Sistema operativo Windows soportado	
Interno *	✓		
Color del producto	Verde, Metálico		
Certificación	CE, FCC, TAA, REACH	Sistema operativo Linux soportado	✓
Características			
Circuito integrado	Renesas/NEC - μPD720202		
Tasa de transferencia de datos (max)	5 Gbit/s	Sistema operativo de servidor soportado	Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
apoyo UASP	✓		
Condiciones ambientales			
Intervalo de temperatura operativa	5 - 50 °C	Peso y dimensiones	
Intervalo de temperatura de almacenaje	-25 - 70 °C		
Intervalo de humedad relativa para funcionamiento	20 - 80%		
		Ancho	18 mm
		Profundidad	65 mm
		Altura	120 mm


Peso y dimensiones	
Peso	40 g
Empaquetado	
Soportes de montaje incluidos	✓
Controladores incluidos	✓
Manual de usuario	✓
Ancho del paquete	174 mm
Profundidad del paquete	145 mm
Altura del paquete	32 mm
Peso del paquete	130 g
Datos logísticos	
Código de Sistema de Armomización (SA)	84733020



0065030855587



065030855587



0172304231388



172304231388

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.