

StarTech.com Tarjeta PCI Express con 4 Puertos USB 3.0


Marca : StarTech.com

Código del producto: PEXUSB3S42

Nombre del producto : Tarjeta PCI Express con 4 Puertos USB 3.0



StarTech.com Tarjeta PCI Express con 4 Puertos USB 3.0 (5Gbps) - 3x Externos y 1x Interno (PEXUSB3S42)
StarTech.com Tarjeta PCI Express con 4 Puertos USB 3.0. Interfaz de host: PCIe, Interfaz de salida: USB 3.2 Gen 1 (3.1 Gen 1), Factor de forma de la tarjeta de expansión: Full-height / Low-profile. Color del producto: Negro, Acero inoxidable, Longitud máxima del cable: 3 m, Certificación: CE, FCC. Circuito integrado: 2 x Renesas / NEC - μPD720202, Tasa de transferencia de datos (max): 5 Gbit/s. Sistema operativo Windows soportado: Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64,..., Sistema operativo de servidor soportado: Windows Server 2008 R2, Windows Server 2012. Ancho: 15 mm, Profundidad: 167 mm, Altura: 120 mm



Puertos e Interfaces		Requisitos del sistema	
Interfaz de host *	PCIe	Sistema operativo Windows soportado	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Interfaz de salida *	USB 3.2 Gen 1 (3.1 Gen 1)		
Factor de forma de la tarjeta de expansión	Full-height / Low-profile		
Estándar de la tarjeta de expansión	PCI 2.0		
Cantidad de puertos tipo A USB 3.2 Gen 1 (3.1 Gen 1)	4		
Diseño		Sistema operativo Linux soportado	Windows Server 2008 R2, Windows Server 2012
Interno *	✓		
Color del producto	Negro, Acero inoxidable		
Longitud máxima del cable	3 m		
Hot-swap	✓		
Certificación	CE, FCC	Sistema operativo de servidor soportado	✓
Características			
Circuito integrado	2 x Renesas / NEC - μPD720202		
Tasa de transferencia de datos (max)	5 Gbit/s		
apoyo UASP	✓		
Condiciones ambientales			
Intervalo de temperatura operativa	5 - 50 °C		
Intervalo de temperatura de almacenaje	-20 - 60 °C		
Intervalo de humedad relativa para funcionamiento	20 - 80%		

Detalles técnicos	
Certificados de conformidad	RoHS
Peso y dimensiones	
Ancho	15 mm
Profundidad	167 mm
Altura	120 mm
Peso	90 g
Empaquetado	
Soportes de montaje incluidos	✓
Controladores incluidos	✓
Manual de usuario	✓
Ancho del paquete	171 mm
Profundidad del paquete	144 mm
Altura del paquete	30 mm
Peso del paquete	141 g
Datos logísticos	
Código de Sistema de Armomización (SA)	84733020



0065030860321



065030860321



0758399140967



758399140967

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.