



## TP-Link TL-WN881ND adaptador y tarjeta de red Interno WLAN 300 Mbit/s

Marca : TP-Link

Código del producto: TL-WN881ND

Nombre del producto : TL-WN881ND

TP-Link TL-WN881ND. Interno. Tecnología de conectividad: Inalámbrico, Interfaz de host: PCI Express, Interfaz: WLAN. Rango máximo de transferencia de datos: 300 Mbit/s, Estándar Wi-Fi: Wi-Fi 4 (802.11n), Banda Wi-Fi: Banda única (2,4 GHz). Color del producto: Verde



Puertos e Interfaces		Requisitos del sistema	
Tecnología de conectividad *	Inalámbrico		Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64
Interfaz de host *	PCI Express		
Interfaz *	WLAN		
Conexión			
Rango máximo de transferencia de datos *	300 Mbit/s		
Estándares de red *	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n		
Wifi	✓		
Banda Wi-Fi	Banda única (2,4 GHz)	Sistema operativo Windows soportado	
Alcance de frecuencia	2,4 - 2,4835 GHz		
Estándar Wi-Fi	Wi-Fi 4 (802.11n)		
Wi-Fi estándares	802.11b, 802.11g, Wi-Fi 4 (802.11n)		
WLAN velocidad de transferencia de datos, soportada	11,54,150,300 Mbit/s		
Modulación	16-QAM, 64-QAM, DBPSK, DQPSK, OFDM		
Algoritmos de seguridad soportados	64-bit WEP, 128-bit WEP, WPA-PSK, WPA2-PSK, WPS		
Diseño			
Componente para *	PC	Sistema operativo Linux soportado	✓
Color del producto	Verde		
Interno *	✓		
Antena	✓		
Diseño de la antena	Externo		
Tipo de conector de antena	RP-SMA		
Tipo de dirección de la antena	Omni-direccional		
Ganancia de la antena (max)	2 dBi		
Indicadores LED	✓		
		Condiciones ambientales	
		Intervalo de temperatura operativa	0 - 40 °C
		Intervalo de temperatura de almacenaje	-40 - 70 °C
		Intervalo de humedad relativa para funcionamiento	10 - 90%
		Intervalo de humedad relativa durante almacenaje	5 - 90%

Diseño		Sostenibilidad	
Modos de funcionamiento	Modo de infraestructura	Cumplimiento de sostenibilidad	✓
		Peso y dimensiones	
		Ancho	59,7 mm
		Profundidad	51 mm
		Altura	3,3 mm
		Empaquetado	
		Ancho del paquete	201,5 mm
		Profundidad del paquete	152,5 mm
		Altura del paquete	41,5 mm
		Peso del paquete	170 g
		Contenido del embalaje	
		Fuente CD	✓
		Guía de instalación rápida	✓
		Detalles técnicos	
		Certificados de conformidad	RoHS, Comisión Federal de Comunicaciones (FCC) de Estados Unidos, CE
		Datos logísticos	
		Código de Sistema de Armomización (SA)	85176990



6935364050573

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.