



| Exhibición                                                  |          | Control de energía                                                         |                   |
|-------------------------------------------------------------|----------|----------------------------------------------------------------------------|-------------------|
| Cobertura NTSC (típica)                                     | 72%      | Escala de eficiencia energética                                            | De la A a la G    |
| Desempeño                                                   |          | Código EPREL (Registro europeo de productos para el etiquetado energético) | 365425            |
| AMD FreeSync *                                              | ✓        | Peso y dimensiones                                                         |                   |
| Tipo de FreeSync de AMD                                     | FreeSync | Ancho del dispositivo (con soporte)                                        | 613,3 mm          |
| Compatibilidad con Adaptive Sync de VESA                    | ✓        | Profundidad dispositivo (con soporte)                                      | 219,4 mm          |
| Tecnología Flicker free (reduce el parpadeo de la pantalla) | ✓        | Altura del dispositivo (con soporte)                                       | 433,4 mm          |
| Tecnología Low Blue Light (baja luz azul)                   | ✓        | Peso (con soporte)                                                         | 4,34 kg           |
| Multimedia                                                  |          | Ancho (sin base)                                                           | 613,3 mm          |
| Altavoces incorporados *                                    | ✗        | Profundidad (sin base)                                                     | 50 mm             |
| Cámara incorporada *                                        | ✗        | Altura (sin base)                                                          | 365,3 mm          |
| Diseño                                                      |          | Peso (sin base)                                                            | 3,68 kg           |
| Posicionamiento de mercado *                                | Hogar    | Empaquetado                                                                |                   |
| Color del producto *                                        | Negro    | Ancho del paquete                                                          | 683 mm            |
| Diseño sin marco                                            | ✓        | Profundidad del paquete                                                    | 143 mm            |
| Bisel frontal                                               | Negro    | Altura del paquete                                                         | 499 mm            |
| Color de pies                                               | Negro    | Peso del paquete                                                           | 6,9 kg            |
| Puertos e Interfaces                                        |          | Tipo de embalaje                                                           | Caja              |
| Conector USB incorporado *                                  | ✗        | Contenido del embalaje                                                     |                   |
| Cantidad de puertos VGA (D-Sub)                             | 1        | Stand incluido                                                             | ✓                 |
|                                                             |          | Cables incluidos                                                           | Corriente alterna |
|                                                             |          | Guía de configuración rápida                                               | ✓                 |
| Datos logísticos                                            |          |                                                                            |                   |
|                                                             |          | Código de Sistema de Armomización (SA)                                     | 85285210          |



4718017766913

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.